

NOVEMBER 2024


CABSTRUT PERFORATED METAL CABLE TRAY

Light Duty Cable Tray (LCT)

Standard Length: 2950 + 50 - Standard Finish Galvanised (PG) Z275. Other materials & finishes available on request.

No Splices Required. **Order M6 x 12mm Gutter Bolts & Nuts Separately (See page 36).**  **2.25 Ea.**

Width (mm)	Material Thickness	Side Rail Height	LCT 2950 + 50mm Tray	Horizontal Bend 90°	Riser/Dropper	Tee	4 Way Crossover
50	0,8mm	13mm	300.00	230.00	150.00	340.00	650.00
76	0,8mm	13mm	350.00	240.00	170.00	370.00	780.00
101	1,0mm	19mm	550.00	380.00	230.00	420.00	860.00
152	1,0mm	19mm	750.00	470.00	290.00	520.00	970.00
203	1,0mm	19mm	1010.00	540.00	370.00	660.00	1040.00
228	1,0mm	19mm	1080.00	560.00	390.00	760.00	1120.00
305	1,0mm	19mm	1390.00	760.00	480.00	870.00	1160.00




Medium Duty Cable Tray (MCT)

Finish HDG (Prices Exclude Splice Sets)

Standard Length: 3000mm, Side Rail Height: 38mm, Material Thickness: 1,6mm

Width (mm)	MCT Tray* ①	Horizontal Bend 90° ①	Riser/Dropper ①	Tee ②	4 Way Crossover ③	Splice Sets up to 305mm
76	1320.00	1320.00	1770.00	2980.00	4930.00	194.00 Ea.
114	1670.00	1610.00	1880.00	3210.00	5170.00	
152	2000.00	1860.00	2020.00	3510.00	5620.00	
228	2620.00	2530.00	2270.00	4120.00	6620.00	
305	3330.00	3030.00	2560.00	4810.00	8190.00	Splice Sets for 457 & 610mm
457	4620.00	4180.00	3420.00	6430.00	10990.00	305.00 Ea.
610	6000.00	6740.00	3980.00	7740.00	12490.00	




For greater widths Heavy Duty Tray is recommended.

Heavy Duty Cable Tray (HCT)

Finish HDG (Prices Exclude Splice Sets). Standard Length: 3000mm, Side Rail Height: 76mm.

Material Thickness: 1,6mm up to 305mm and 2,0mm for 457 & 610mm

Width (mm)	HCT Tray* ①	Horizontal Bend 90° ①	Riser/Dropper ①	Tee ②	4 Way Crossover ③	Splice Sets up to 305mm
76	1980.00	1630.00	2110.00	3350.00	5620.00	236.00 Ea.
114	2300.00	1900.00	2360.00	3400.00	6360.00	
152	2650.00	2110.00	2500.00	4310.00	6820.00	
228	3270.00	2710.00	2720.00	4740.00	7860.00	
305	3930.00	3430.00	2970.00	5740.00	8860.00	Splice Sets for 457mm
457	6300.00	5170.00	4000.00	8300.00	12230.00	347.00 Ea.
610	7860.00	7240.00	4360.00	9670.00	14350.00	




① Indicates Splice Sets Required

Splice sets comprise:

8 x M10 x 20 mushroom head bolts & nuts, 8 x M10 washers and 2 angle splices.
(For 457mm & wider add 4 off mushroom head bolts, nuts & washers + 1 flat splice)



Standard Accessories

Horizontal Bend 90°		External Elbow (Dropper)		4 Way Crossover		Reversible Reducing Splice (See Page 60)		Screw & Nut Set 11.50/Set	
Tee		Internal Elbow (Riser)		Angle Splice MD 51.00 HD 72.00		Centre Splice (457mm wide & upward only) 65.00			

© Cabstrut 11.24 ALL PRICES QUOTED ARE PER EACH. Prices are Ex-Works, exclude VAT, and are subject to change. E&OE.

CABSTRUT RETURN FLANGE CABLE TRAY

NOVEMBER 2024

Medium Duty Cable Tray (RFMD)

3000mm standard length. Side Rail Height: 27mm. Standard finish galvanised (PG)
HDG prices on request. Other materials and finishes on request

Width (mm)	Material Thickness	RFMD Tray	Horizontal Bend 90°	Riser/Dropper	Tee	4 Way Crossover
50	1,0mm	680.00	280.00	340.00	420.00	570.00
75	1,0mm	830.00	330.00	390.00	480.00	650.00
100	1,0mm	960.00	400.00	430.00	520.00	720.00
150	1,0mm	1130.00	480.00	470.00	700.00	820.00
225	1,0mm	1440.00	620.00	490.00	770.00	1100.00
300	1,2mm	2030.00	810.00	610.00	910.00	1380.00
450	1,5mm	4300.00	1730.00	930.00	1790.00	2600.00
*600	1,5mm	5130.00	2630.00	1440.00	2510.00	3400.00
*750	1,5mm	6210.00	3830.00	1790.00	4560.00	5520.00
*900	1,5mm	7340.00	5210.00	2030.00	5980.00	6590.00

* Non-stock Item



Heavy Duty Cable Tray (RFHD)

3000mm standard length. Side Rail Height: 50mm. Standard finish galvanised (PG)
HDG prices on request. Other materials and finishes on request

Width (mm)	Material Thickness	RFHD Tray	Horizontal Bend 90°	Riser/Dropper	Tee	4 Way Crossover
75	1,0mm	1010.00	440.00	420.00	560.00	690.00
100	1,0mm	1140.00	460.00	450.00	610.00	730.00
150	1,0mm	1360.00	550.00	510.00	700.00	860.00
225	1,0mm	1740.00	670.00	560.00	890.00	1100.00
300	1,2mm	2340.00	890.00	640.00	1560.00	1490.00
450	1,5mm	4420.00	2210.00	1190.00	2760.00	3510.00
600	1,5mm	5130.00	3220.00	1620.00	4000.00	4940.00
*750	1,5mm	6810.00	4540.00	1890.00	5630.00	7110.00
*900	1,5mm	8120.00	5520.00	2270.00	7330.00	8180.00

* Non-stock Item




Standard Accessory Radii:

Horizontal Bends, Tees and 4 Way Crossovers:
50 - 225 mm wide = 125 mm

300 mm wide = 150 mm
450 - 900 mm wide = 200 mm
Variable Risers: All widths = 240 mm

Standard Accessories all with Built-in Splice


RF Standard Accessories

Horizontal Bend 90° 		Variable Int. Riser & Ext. Dropper from 0°-90° 	Straight Couplers  RFMD 25.00 RFHD 42.00	Straight Coupler Set 2 Couplers with 8x M6 x 12 Gutter Bolts & Nuts  RFMD 68.00 RFHD 102.00			
Tee 		4 Way Crossover 	Wrap Over Coupler  RFMD 76.00 RFHD 96.00	Wrap Over Coupler Set 2 Couplers with 8x M6 x 12 Gutter Bolts & Nuts  RFMD 172.00 RFHD 212.00			
Divider (Straight Tray-3m)  RFMD 260.00 RFHD 380.00	Horizontal Adjustable Coupler  RFMD 80.00 RFHD 155.00	RF Acc.     SUPPLIED FLAT - FOLD TO SIZE REQUIRED 					
Dividers also available for standard accessories (POR)		Fishplate Coupler  RFMD/HD 95.00	Vertical Adjustable Coupler  RFMD 150.00 RFHD 175.00	Standard Fasteners: 4 Fasteners Per Splice M6 x 12 Gutter Bolt & Nut  2.25 Ea.	Raised covers and covers for standard accessories also available (See Page 60) 	Width (mm) Open Hanger Bracket Wall Mounting Plate Tray Standoff Bracket Trapeze Hanger Bracket Reversible Reducing Coupler RFMD RFHD	50 75 100 150 225 300 450 600 750 900 117.00 123.00 135.00 174.00 208.00 315.00 - - - 85.00 96.00 126.00 152.00 - - - - - - 79.00 94.00 96.00 108.00 113.00 130.00 174.00 208.00 - - - 76.00 90.00 96.00 98.00 155.00 197.00 264.00 380.00 430.00 540.00 - - - - - - - - - -



© Cabstrut 11.24 ALL PRICES QUOTED ARE PER EACH. Prices are Ex-Works, exclude VAT, and are subject to change. E&OE.

NOVEMBER 2024
CABSTRUT WELDED WIRE MESH CABLE TRAY
Medium Duty Cable Tray (WWMD)

Standard Length: 3000mm, Wire Diameter: 4,0mm, Sidewall Height: 50mm (2 Wires).
Standard finish Hot Dip Galvanised (HDG) or Zinc Plated 12 - 15 microns (SG) to order.
Other materials and finishes on request



WWMD
Cable Tray
(50x50)



WWMD
Cable Tray
(100x50)




Width (mm)	WWMD Tray		Horizontal Bend 90°		Riser Dropper		Tee		4 Way Crossover	
	HDG50x100	HDG50x50	Radius 160	Radius 450	Radius 160	Radius 450	Radius 160	Radius 450	Radius 160	Radius 450
50	740.00 ②	870.00	330.00	520.00 ②	270.00	440.00 ②	830.00	1170.00 ⑥	1240.00	1910.00 ⑧
100	780.00 ③	1000.00	420.00	610.00 ③	330.00	480.00 ③	1030.00	1350.00 ⑥	1530.00	2130.00 ⑨
150	930.00 ③	1160.00	490.00	740.00 ③	380.00	580.00 ③	1280.00	1620.00 ⑥	1860.00	2340.00 ⑨
200	1050.00 ③	1360.00	590.00	840.00 ③	430.00	650.00 ③	1490.00	1880.00 ⑥	2130.00	2710.00 ⑨
300	1360.00 ③	1740.00	770.00	1100.00 ③	590.00	860.00 ③	1940.00	2410.00 ⑥	2640.00	3240.00 ⑨
400	1650.00 ④	2120.00	930.00	1310.00 ④	740.00	1050.00 ④	2400.00	2950.00 ⑧	2800.00	3420.00 ⑫
500	1930.00 ④	2480.00	1120.00	1600.00 ④	830.00	1210.00 ④	2900.00	3510.00 ⑧	3240.00	3850.00 ⑫
600	2220.00 ④	2860.00	1350.00	1830.00 ④	950.00	1370.00 ④	3420.00	4040.00 ⑧	4130.00	4780.00 ⑫

(Prices Exclude Joiner Sets)

Indicates Joiner
Sets Required


Heavy Duty Cable Tray (WWHD)

Standard Length: 3000mm, Wire Diameter: 5,0mm,
Sidewall Height: 75mm (3 Wires).
Standard finish Hot Dip Galvanised (HDG) or Zinc Plated
12 - 15 microns (SG) to order.
Other materials and finishes
on request



Width (mm)	WWHD Tray		Horizontal Bend 90°	Riser/ Dropper	Tee	4 Way Crossover
	HDG50x100	HDG50x50				
100	1570.00 ③	1920.00 ③	1090.00 ③	840.00 ③	2490.00 ⑥	3670.00 ⑨
150	1790.00 ③	2220.00 ③	1240.00 ③	980.00 ③	2870.00 ⑥	4320.00 ⑨
200	2000.00 ③	2500.00 ③	1390.00 ③	1120.00 ③	3210.00 ⑥	4570.00 ⑨
300	2460.00 ③	3090.00 ③	1710.00 ③	1380.00 ③	3740.00 ⑥	5470.00 ⑨
400	2880.00 ④	3670.00 ④	2030.00 ④	1640.00 ④	4710.00 ⑧	6590.00 ⑫
500	3300.00 ④	4270.00 ④	2350.00 ④	1910.00 ④	5160.00 ⑧	7540.00 ⑫
600	3750.00 ④	4840.00 ④	2690.00 ④	2180.00 ④	5820.00 ⑧	8600.00 ⑫
800	4640.00 ⑤	6020.00 ⑤	3340.00 ⑤	2710.00 ⑤	7140.00 ⑩	9930.00 ⑮
1000	5540.00 ⑤	7200.00 ⑤	3980.00 ⑤	3240.00 ⑤	8020.00 ⑩	10300.00 ⑮

(Prices Exclude Joiner Sets)


Clip-On Support Channel

- 1200mm standard length
- Material thickness 1,2mm
- Horizontal or vertical installation
- No saddles required, bend over tabs to secure


350.00

/1200mm Length


Material Thickness: 1,6mm
Mass kg/1200mm: 1,2kg

Standard Accessories

Accessory Radius: 450mm or 160mm. Accessory Pitch: 50 x 50mm

Horizontal Bend 90°		Int. Elbow (Riser) Ext. Elbow (Dropper)	
Tee		4 Way Crossover	

Clamps & Saddles

2 part Joiner Clamp includes integral nut and bolt.		4 Part Joiner Clamp Set (includes M6 x 16mm Screw & Nut)		Unique Flush Hold Down Saddle (8,5mm Slot) 17.00 Saddle Price Excludes Fastener	
20.00		23.00			

For Fasteners see page 36


© Cabstrut 11.24 ALL PRICES QUOTED ARE PER EACH. Prices are Ex-Works, exclude VAT, and are subject to change. E&OE.

CABSTRUT CABLE LADDER - WELDED CONSTRUCTION

NOVEMBER 2024

LIGHT DUTY (CL55) CABLE LADDER

Standard Length: 3000mm, Rung Spacing: 375mm, Side Rail Height: 55mm,
Slot Size: 20 x 7mm, Slot Pitch: 25mm, Material Thickness: 1,6mm
Standard finish HDG




Width (mm)	CL55 Ladder ①	Horizontal Bend 90° ①	Riser/Dropper ①	Tee ②	4 Way Crossover ③
100	2110.00	1010.00	1190.00	2110.00	2870.00
150	2220.00	1120.00	1250.00	2210.00	2980.00
200	2280.00	1220.00	1280.00	2270.00	3190.00
300	2440.00	1330.00	1360.00	2550.00	3400.00
400	2610.00	1580.00	1440.00	2750.00	3510.00
500	2770.00	1760.00	1520.00	3200.00	3770.00

(Prices Exclude Splice Sets)



MEDIUM DUTY (CL76) CABLE Ladder

Standard Length: 3000mm, Rung Spacing: 375mm, Side Rail Height: 76mm,
Slot Size: 20 x 7mm, Slot Pitch: 25mm, Material Thickness: 100 - 600mm
1,6mm, 800 - 1000mm 2,0mm. Standard finish HDG



Width (mm)	CL76 Ladder ①	Horizontal Bend 90° ①	Riser/Dropper ①	Tee ②	4 Way Crossover ③
100	2380.00	1330.00	1390.00	2340.00	3110.00
150	2480.00	1420.00	1450.00	2450.00	3380.00
200	2600.00	1520.00	1510.00	2550.00	3610.00
300	2800.00	1650.00	1600.00	2870.00	3860.00
400	3000.00	1800.00	1630.00	3350.00	4180.00
500	3340.00	2060.00	1740.00	3850.00	4620.00
600	3530.00	2290.00	1800.00	4040.00	4990.00
800	4600.00	3060.00	2180.00	5100.00	6210.00
1000	5120.00	3510.00	2530.00	6050.00	7120.00

(Prices Exclude Splice Sets) ● Indicates Splice Sets Required



Standard Accessories Accessory Radius: 450mm

Horizontal Bend 90°		Int. Elbow (Riser) Ext. Elbow (Dropper)	
Tee		4 Way Crossover	
P1450 Cable Ladder Hold-down Bracket 32.00		Reversible Reducing Splices (See Page 60)	
Closed Cover (1,5m Long) & Covers for Std. accessories also available. ALL COVERS MADE TO ORDER (See page 60)			

CL55 & CL76 Variable Int/ext Kit Comprising:

2 x Side Pieces, 6 x M6 Cup Sq. Bolts, Nuts & Washers and 2 x M8 x 20 Screw & Nut + Washers

Add Cross Rungs as required. Price is per each.

100	113.00
150	129.00
200	144.00
300	197.00
400	217.00
500	270.00
600	326.00
800	387.00
1000	489.00



1 x Side Piece = 440 Radius
2 x Side Pieces = 650 Radius
3 x Side Pieces = 1000 Radius
Use to create infinite directional changes

© Cabstrut 11.24 ALL PRICES QUOTED ARE PER EACH. Prices are Ex-Works, exclude VAT, and are subject to change. E&OE.

NOVEMBER 2024
CABSTRUT CABLE LADDER - WELDED CONSTRUCTION
HEAVY DUTY (CL130) CABLE LADDER - WELDED CONSTRUCTION

Cabstrut cable ladder systems manufactured in accordance with BS EN 61537:2007

Standard Length: 6000mm (5800mm manufactured to order). Side Rail Height: 130mm



20B = 1,6mm thick & 112Kg/m and 20C = 2,0mm thick & 149Kg/m.

Rung Type: HCL used for all sizes. Cross Rung Spacing: 300mm for all sizes

Slot Size: 20 x 7mm, Slot Pitch: 25mm

Standard finish HDG

Note: CL130 Cable Ladders and accessories are manufactured to order.


Designed to meet NEMA Classification

20B = 1.6mm thick & 112 Kg/m

20C = 2.0mm thick & 149 Kg/m



Heavy Duty (CL130)
Cable Ladder
is specifically designed for
HORIZONTALLY ORIENTED installations.

CL130/2 (NEMA 20B & 20C) 6000mm STRAIGHT CABLE LADDER

Width (mm)	2,0mm Thick CL130 Ladder 1	1,6mm Thick CL130 Ladder 1	R650 Horizontal Bend 90° 1a	R60 Riser/ Dropper 1a	R650 Tee 2a	R650 4 Way Crossover 3a
150	10300.00	8390.00	2450.00	2480.00	5210.00	7430.00
200	10620.00	8920.00	2550.00	2530.00	5420.00	7650.00
300	11250.00	9340.00	2760.00	2600.00	5840.00	8180.00
400	11780.00	9870.00	3080.00	2720.00	6160.00	8600.00
450	12100.00	10190.00	3190.00	2760.00	6370.00	8710.00
500	12420.00	10510.00	3300.00	2830.00	6480.00	8920.00
600	12950.00	11040.00	3720.00	2930.00	7000.00	9350.00
800	14120.00	12630.00	4780.00	3240.00	7860.00	10940.00
900	14650.00	13380.00	5150.00	3400.00	8180.00	11470.00
1000	15180.00	14440.00	5520.00	3590.00	8390.00	12000.00

Note: Prices Exclude Splice Sets.

1a Bend & Riser/Dropper = 1 x SG Fastener Set @ **127.60**


2a Tee = 2 x SG Fastener Sets @ **127.60** Ea. = **255.20**

3a 4 Way Crossover = 3 x SG Fastener Sets @ **127.60** Ea. = **382.80**


CL130 Wraparound Splice **340.00**

(NB! Accessories have built-in splices and need fasteners only)


NO SPLICES ARE REQUIRED Standard Accessory Radius 650mm



Wraparound load bearing CL130 Splice manufactured from 1,6mm galvanised steel (HDG)



1 Splice Sets For Straight Ladders **935.20 / Set**
C/W Fastener Set SG

CL130 HORIZONTAL BEND 90°		CL130 INTERNAL RISER 90°		CL130 EXTERNAL DROPPER 90°	
CL130 EQUAL TEE		CL130 EQUAL 4 WAY CROSSOVER		"Built-in" coupler (splice) on all standard accessories reduces installation time.	

POWERWAY CABLE LADDER (PW75, PW100, PW150)

Cabstrut cable ladder systems manufactured in accordance with BS EN 61537:2007

Standard finish HDG - Mild steel to BS 1449-1.2:1991, hot-dip galvanised after manufacture to SANS 121:2001 / ISO 1461:2009.

Material thickness is indicated in the tables below.

Standard Length: 3000mm
Side Rail Height: 150mm
Cross Rung Spacing: 300mm for all sizes
Cross Rung Thickness for ALL items: 2,0mm
Slot Size: 20 x 7mm
Slot Pitch: 25mm

All PW150 Accessories Standard Radius: 450mm

Note: Prices Exclude Splice Sets.

PW75 CABLE LADDER (Prices Exclude Splice Sets)

Width (mm)	PW75 Ladder 2,0mm ①	PW75 Ladder 3,0mm ①	Horizontal Bend 90° ①	Riser/Dropper ①	Tee ②	4 Way Crossover ③
150	3510.00	5260.00	1700.00	1650.00	3060.00	4100.00
200	3720.00	5630.00	1780.00	1690.00	3200.00	4280.00
300	4040.00	6000.00	2070.00	1850.00	3630.00	4740.00
400	4300.00	6270.00	2370.00	2020.00	3960.00	5010.00
500	4650.00	6690.00	2640.00	2180.00	4310.00	5420.00
600	4970.00	7220.00	3040.00	2300.00	4640.00	5840.00
800	5840.00	8020.00	3610.00	2600.00	5510.00	6800.00
1000	6370.00	8760.00	4080.00	2760.00	6250.00	7520.00

Standard Length: 3000mm, Rung Spacing: 300mm, Side Rail Height: 75mm, Material Thickness: 2,0 - 3,0mm, Cross Rung Thickness: 2,0mm

Note: Prices Exclude Splice Sets.

PW75/2 Angle Splice

126.00

PW75/2 Angle Splice Sets 2,0mm

388.00


PW100 CABLE LADDER (Prices Exclude Splice Sets) (Made to Order)

Width (mm)	PW100 Ladder 2,0mm ①	PW100 Ladder 3,0mm ①	Horizontal Bend 90° ①	Riser/Dropper ①	Tee ②	4 Way Crossover ③
150	4300.00	6400.00	2080.00	2030.00	3570.00	5220.00
200	4470.00	6700.00	2220.00	2110.00	3740.00	5410.00
300	4810.00	7090.00	2550.00	2290.00	4180.00	5950.00
400	5220.00	7430.00	3010.00	2470.00	4620.00	6330.00
500	5520.00	7880.00	3410.00	2690.00	5020.00	6730.00
600	5810.00	8330.00	3930.00	2860.00	5750.00	7110.00
800	6500.00	9130.00	4710.00	3190.00	6710.00	8200.00
*1000	7160.00	9900.00	5410.00	3410.00	7430.00	9030.00

Standard Length: 3000mm, Rung Spacing: 300mm, Side Rail Height: 100mm, Material Thickness: 2,0 - 3,0mm, Cross Rung Thickness: 2,0mm

Note: Prices Exclude Splice Sets.

PW100/2 Angle Splice

143.00

PW100/2 Angle Splice Sets 2,0mm

422.00


PW150 CABLE LADDER (Prices Exclude Splice Sets) (Made to Order)

Width (mm)	PW150 Ladder 2,0mm ①	PW150 Ladder 3,0mm ①	Horizontal Bend 90° ①	Riser/Dropper ①	Tee ②	4 Way Crossover ③
150	6050.00	8920.00	2750.00	2740.00	4370.00	6900.00
200	6180.00	9260.00	2990.00	2820.00	4530.00	7010.00
300	6630.00	9650.00	3310.00	3080.00	4950.00	7780.00
400	7050.00	10080.00	4110.00	3300.00	5660.00	8260.00
500	7490.00	10510.00	4820.00	3590.00	6110.00	8710.00
600	7940.00	10920.00	5410.00	3760.00	7630.00	9220.00
800	8810.00	11790.00	6510.00	4210.00	8520.00	10610.00
*1000	9660.00	12650.00	7410.00	4460.00	9290.00	11580.00

Standard Length: 3000mm, Rung Spacing: 300mm, Side Rail Height: 150mm, Material Thickness: 2,0 - 3,0mm, Cross Rung Thickness: 2,0mm

Note: Prices Exclude Splice Sets.

PW150/2 Angle Splice




215.00

PW150/2 Angle Splice Sets 2,0mm

566.00



PW150 Cable Ladder is specifically designed for SIDE ORIENTED installations.


Standard Accessories

All accessories 2,0mm only (suitable for all ladders)
Accessory Radius: 450mm. Other radii to order

PW HORIZONTAL BEND 90°	
PW INTERNAL RISER 90°	
PW EXTERNAL DROPPER 90°	
PW EQUAL TEE	
PW EQUAL 4 WAY CROSSOVER	
For Reversible Reducing Splices Sets (See Page 60)	
	

NOVEMBER 2024
**CABSTRUT CABLE TRAY COVERS
MANUFACTURED TO ORDER**

OTHER RADII TO ORDER. PRICES FOR OTHER THICKNESSES OR FINISHES ON REQUEST.

MD/HD CABLE TRAY COVERS

Radius: 450mm Finish: HDG Material Thickness 1,6mm

Width (mm)	Straight 1500mm	Horizontal Bend 90°	Riser/Dropper	Tee	4 Way Crossover	MDCT/HDCT Cover Clip
76	689.00	1093.00	721.00	2632.00	4728.00	 M5 18.00 No.12 1.80
114	833.00	1353.00	838.00	2908.00	5095.00	
152	1082.00	1613.00	981.00	3168.00	5413.00	
228	1459.00	2128.00	1167.00	3651.00	6369.00	
305	1868.00	2531.00	1422.00	4304.00	7377.00	
457	2643.00	3853.00	1857.00	5604.00	8905.00	
610	3364.00	5042.00	2361.00	7281.00	10774.00	

RF CABLE TRAY COVERS PG (HDG ON REQUEST)

Radius: 450mm. Finish PG

Width (mm)	Thick (mm)	Straight 1500mm	Horizontal Bend 90°	Riser/Dropper	Tee	4 Way Crossover	RFMD/RFHD Cover Clip
50	1,0	185.00	265.00	376.00	305.00	475.00	 17.00
75	1,0	249.00	313.00	392.00	334.00	526.00	
100	1,0	344.00	392.00	416.00	435.00	575.00	 20.00
150	1,0	461.00	486.00	469.00	530.00	699.00	
225	1,0	615.00	631.00	539.00	698.00	859.00	
300	1,2	801.00	822.00	613.00	902.00	1098.00	
450	1,2	1263.00	1236.00	677.00	2043.00	2436.00	
600	1,2	2101.00	2420.00	1231.00	2786.00	3343.00	
750	1,6	2643.00	3333.00	1528.00	3704.00	4373.00	
900	1,6	3163.00	4405.00	1910.00	4723.00	5440.00	

CABLE TRAY COVERS WWMD/WWHD

Radius: 160 & 450mm. Finish: HDG

Width (mm)	Thick (mm)	Straight 1500mm	Horizontal Bend 90°	Riser/Dropper		Tee		4 Way Crossover	
			Radius 160	Radius 450	Radius 160	Radius 450	Radius 160	Radius 450	Radius 160
50	1,2	329.00	711.00	900.00	286.00	337.00	1279.00	1507.00	2388.00
100	1,2	504.00	1268.00	1507.00	481.00	565.00	2144.00	2521.00	3938.00
150	1,2	679.00	1422.00	1677.00	589.00	692.00	2388.00	2812.00	4256.00
200	1,2	960.00	1624.00	1916.00	684.00	806.00	2637.00	3067.00	4670.00
300	1,2	1204.00	2308.00	2743.00	1061.00	1226.00	3768.00	4394.00	6199.00
400	1,2	1555.00	2775.00	3290.00	1295.00	1528.00	4458.00	5254.00	7048.00
500	1,6	2345.00	3513.00	4129.00	1528.00	1793.00	5328.00	6347.00	7886.00
600	1,6	3025.00	4723.00	5572.00	2069.00	2420.00	7122.00	8364.00	10296.00
800	1,6	3938.00	-	7536.00	-	3163.00	-	10933.00	-
1000	1,6	4872.00	-	9649.00	-	3725.00	-	13587.00	-

Wire Mesh Cover Clip



WM WIRE MESH COVER CLIP

12.50

CABLE LADDER COVERS CL55, CL76, PW75, PW100, PW150

Radius: 450mm Finish: HDG

Width (mm)	Thick (mm)	Str. CL55/76 1500mm	Str. PW75 /100/150 1500mm	Horizontal Bend 90°	Riser/Dropper	Tee	4 Way Crossover
100	1,0	652.00	-	1613.00	594.00	2674.00	4935.00
150	1,0	769.00	769.00	1772.00	711.00	2966.00	5371.00
200	1,0	934.00	934.00	2014.00	830.00	3237.00	5838.00
300	1,2	1454.00	1454.00	2908.00	1268.00	4670.00	7733.00
400	1,2	1862.00	1862.00	3492.00	1549.00	5572.00	8810.00
500	1,2	2319.00	2319.00	4405.00	1820.00	6639.00	9871.00
600	1,6	3136.00	3136.00	5721.00	2478.00	8369.00	12122.00
800	1,6	4118.00	4118.00	7982.00	3200.00	10827.00	15073.00
1000	1,6	5042.00	5042.00	10137.00	3781.00	13693.00	18310.00

Cable Ladder Cover Clamp (EG)
4 per Straight or Bend,
6 per TEE,
8 per 4-Way



21.50



PEAKED COVERS ARE ALSO AVAILABLE

CABLE LADDER COVERS CL130 PEAKED & FLAT COVERS

Radius: 650mm Finish: HDG (Note: Accessories have Flat Covers Only)

Width (mm)	Thick (mm)	Straight 1500mm	Horizontal Bend 90°	Riser/Dropper	Tee	4 Way Crossover
		Peaked	Flat			
150	1,0	1045.00	859.00	3375.00	1236.00	6050.00
200	1,0	1284.00	1040.00	3699.00	2069.00	6507.00
300	1,0	1740.00	1406.00	4527.00	1528.00	7419.00
400	1,2	2574.00	2133.00	5466.00	2611.00	8863.00
450	1,2	2844.00	2345.00	5944.00	2855.00	9585.00
500	1,2	3094.00	2563.00	6448.00	3147.00	10201.00
600	1,2	3349.00	3126.00	7536.00	3725.00	11198.00
800	1,6	5838.00	4829.00	9585.00	4851.00	14011.00
900	1,6	6501.00	5307.00	10774.00	5328.00	15317.00
1000	1,6	7244.00	5519.00	12085.00	5886.00	16817.00

CL130 Cover Clamp HDG

32.00



CL130 Raised Cover Bracket



38.00

M6 x 20mm HSS M6 Hex Nut M6 Flat Washer



3.71

Available in HDG & Stainless Steel

© Cabstrut 11.24 ALL PRICES QUOTED ARE PER EACH. Prices are Ex-Works, exclude VAT, and are subject to change. E&OE.