

NOVEMBER 2024
CABSTRUT BRACKETS

Material: Unless otherwise noted, **Cabstrut** fittings are pressed from hot rolled, pickled and oiled plate or strip steel
















Subject to commercial tolerances

Standard Dimensions: The following dimensions apply to all fittings except where noted on the part drawing:




Hole size, 14mm diameter, Hole spacing: 20,5mm from end of fitting, 48mm centre to centre: Fitting width: 40mm unless otherwise stated; Fitting thickness: 6mm unless otherwise stated





















All dimensions subject to commercial tolerances.

Flat Fittings

P1061 A=7mm P1062 A=9mm P1063 A=11mm P1064 A=14mm 19.00		P1065 49.00		P1066 77.00	
P1067 107.00		P1941 144.00		P1924 53.00	
P2079 114.00		P1036 101.00		P1031 133.00	
P1028 218.00		P1979 123.00		P1356 123.00	
P1358 186.00		P1380 186.00		P1953 326.00	






90°angle Fittings

P1026 47.00		P1068 47.00		P1325 97.00	
------------------------------	---	------------------------------	--	------------------------------	---





CABSTRUT BRACKETS
NOVEMBER 2024

"U" Shape


NOVEMBER 2024
CABSTRUT BRACKETS







"Z" Shape




Slotted Fittings




Beam Clamps





Purlin Clamps



Trolley Assembly

Ideal for sliding doors, welding curtains etc.



Base Plates




Beam Clamps (Swivel Type)










Beam Clamps (Swivel Type)



Flange Clamps





Angle Fittings





	A	B mm	C mm		A	B mm	C mm
P1546	45°	58	76	P2097	60°	48	86
P2094	82½°	43	91	P2098	52½°	52	83
P2095	75°	43	91	P2099	37½°	46	89
P2096	67½°	46	89	P2100	37½°	67	68

85.00



Variable Angle Fittings



Load Data For Brackets

